



Aplicación Web (inicio)




```
<!--
Document   : index
Created on : Jun 15, 2014, 10:52:24 AM
Author    : German
-->

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>Entrenador del inversionista</title>
  </head>
  <body>
    <h1>Bienvenido al entrenador del inversionista</h1>
  </body>
</html>
```

Ejecutar. Ver
arranques en
Netbeans


Aplicación Web (formulario)

get y post



Insert Form dialog box configuration:

- Action: play
- Method: GET, POST
- Encoding: application/x-www-form-urlencoded, multipart/form-data
- Name: (empty)



Insert Text Input dialog box configuration:

- Name: saldo
- Initial Value: (empty)
- Type: text, password, hidden
- Initial State: disabled, readonly
- Width: (empty)

```
1 <!--
2 Document : index
3 Created on : Jun 15, 2014, 10:52:24 AM
4 Author : German
5 -->
6
7 <%@page contentType="text/html" pageEncoding="UTF-8"%>
8 <!DOCTYPE html>
9 <html>
10 <head>
11 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
12 <title>Entrenador del inversionista</title>
13 </head>
14 <body>
15 <h1>Bienvenido al entrenador del inversionista</h1>
16 <form action="play.jsp">
17 <?Qué dinero va a invertir? <input type="text" name="saldo" value="" />
18 </form>
19 </body>
20 </html>
```



Un repaso rápido a HTML con

<http://www.w3schools.com/tags/>

html, head, body, form (input,...), p, br,
table (tr, td, ...), ol – ul (li), dl (dd,dt)
a

get y post
eventos